

For Collection of Garbage / Solid Waste Capacity Range 6 CuM., 8 CuM. & 14 CuM.



Ensol GC1400 with additional Bucket



Ensol GC1400 for Export Customer

APPLICATIONS :

- For safe and hygienic collection, storage and transportation of garbage.
- For quick and efficient lifting, transportation and unloading.
- For Multi point 'pick up' application of system through standard containers.
- Suitable for handling Solid waste.
- Continuous 'relay' system achieving large volume of garbage transfer.
- Suitable for DIN Standard Bins

ADVANTAGES :

- Easy to operate as no special skill is required.
- Popular system-low capital cost
- Ideal for multiple point collection system with low operation cost.
- Very low maintenance cost.
- Modern equipment to increase dignity of labour.

The body consist of Front bearings of the refuse collection body, Refuse collection body with ejection panel, Tailgate with hopper, slide plate, packer plate and Bin lifter.

Accessories shown are not part of standard equipment..

Ensol Multiclean Equipments Pvt. Ltd.

#401, Neelkanth, Opp. Sahakar Bhawan, Bhawani Singh Lane, Jaipur - 302 001 Raj. (India)
Phone : +91-141-222 6933 | Facsimile : +91-141-222 6934 | E-mail : info@ensolindia.com
Website : www.ensolindia.com | www.ensol.co.in

ENSOL™ GARBAGE COMPACTOR / RUBBISH TRUCK / GARBAGE COMPRESSION VEHICLE



ISO 9001-2008

Easy to handle and will allow the loading personnel to operate the vehicle with minimum physical effort and maximum safety. The vehicle is capable of unloading garbage from containers of 120 to 1300 Litres capacity as per DIN standard.



Ensol TGC700 on Trailer



Specifications#	7+1 m3	13+1.5 m3	15+1.5 m3
Box width	1915 mm	2400 mm	2400 mm
Box dimensions	3200x1800x1400 mm	3860x1700x2250 mm	4310x2250x1900 mm
Box volume	7+1 m3	13+1.5 m3	15+1.5 m3
Hydraulic cylinder	9 Units	9 Units	9 Units
Box weight	245 kg	4550 kg	5800 kg
Main pressure	160 kg / cm2	190 kg / cm2	190 kg / cm2
Telescopic discharge (forw)	150 kg / cm2	175 kg / cm2	175 kg / cm2
Telescopic discharge (rear)	160 kg / cm2	175 kg / cm2	175 kg / cm2
Rear down	80 kg / cm2	80 kg / cm2	80 kg / cm2
Rear up	160 kg / cm2	190 kg / cm2	190 kg / cm2
Automatic loading time	20 - 30 sn.	30 - 40 sn.	30 - 40 sn.
Hydraulic oil tank capacity	90 lt.	120 lt.	120 lt.
Pump out cycle	800 d/d	1000 d/d	1000 d/d
Suction strainers	125 u	125 u	125 u
Return filter	25 u	25 u	25 u

#For reference only. In the interest of technical development, we reserve the right to alter equipment without prior notice.


Ensol Multiclean Equipments Pvt. Ltd.

#401, Neelkanth, Opp. Sahakar Bhawan, Bhawani Singh Lane, Jaipur - 302 001 Raj. (India)
 Phone : +91-141-222 6933 | Facsimile : +91-141-222 6934 | E-mail : info@ensolindia.com
 Website : www.ensolindia.com | www.ensol.co.in

ENSOL™ GARBAGE COMPACTOR / RUBBISH TRUCK/ GARBAGE COMPRESSION VEHICLE



ISO 9001-2008



Loading Operation



Discharging Operation [Dumping]



Also available on

- HIRE
- LEASING
- RENTAL



#For reference only. In the interest of technical development, we reserve the right to alter equipment without prior notice.

Ensol Multiclean Equipments Pvt. Ltd.

#401, Neelkanth, Opp. Sahakar Bhawan, Bhawani Singh Lane, Jaipur - 302 001 Raj. (India)

Phone : +91-141-222 6933 | Facsimile : +91-141-222 6934 | E-mail : info@ensolindia.com

Website : www.ensolindia.com | www.ensol.co.in